



FABRICoustic by COOLEEDGE™

A collection of textiles encompassing a range of textures that deliver exceptional acoustic performance, making them the perfect choice for stretch ceilings.



Silence

Our highest rated acoustic performer with an NRC = 0.95



Whisper

Superior acoustic performance with the option for UV printing:
NRC = 0.90




Serenity

Abrasion resistant, with a range of colors and printing options:
NRC = 0.90



Calm

Exceptional value with very good acoustic performance: NRC = 0.75



495D Retrofit

Look and feel of Clipso 495D for retrofit applications

FABRICoustic by COOLEEDGE™

SILENCE

Highest level of acoustic performance combined with a clean appearance.



Color	White or Printed
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	126 & 177
NRC Rating	0.95
Fire Rating	ASTM E84 Class A
Printing Options	Dye-sub
Cutting Methods	Cold, Ultrasonic, Heat

Order Code
FCBC-SIL-xxx (xxx = width)

WHISPER

Superior acoustic performance with the option to print graphics, images, and more.



Color	White, Black, or Printed
Material	100% Knitted Trevira CS (Recyclable)
Widths (inches)	126, 177, & 205
NRC Rating	0.90
Fire Rating	ASTM E84 Class A
Printing Options	UV
Cutting Methods	Cold, Ultrasonic, Heat

Order Code
FCBC-WHS-xxx (xxx = width)

FABRICoustic by COOLEDGE™

SERENITY

Abrasion resistant, colors or printing, and unique texture combined together.




Color	White, Colors (11), or Printed
Material	100% Woven Polyester (Recyclable)
Widths (inches)	61 & 122
NRC Rating	0.90
Fire Rating	ASTM E84 Class A
Printing Options	UV, Latex, Dyesub
Cutting Methods	Ultrasonic, Heat

Order Code
FCBC-SRN-xxx (xxx = width)

CALM

Very good acoustic performance that fits any budget.




Color	White or Printed
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	126 & 199
NRC Rating	0.75
Fire Rating	ASTM E84 Class A
Printing Options	UV or Dyesub
Cutting Methods	Cold, Ultrasonic

Order Code
FCBC-CLM-xxx (xxx = width)

FABRICoustic by COOLEEDGE™

495D RETROFIT

Look and feel of Clipso 495D for retrofit applications.



Color	White
Material	100% Woven Polyester - coated (Recyclable)
Widths (inches)	126 & 199
NRC Rating	To Be Confirmed
Fire Rating	ASTM E84 Class A
Cutting Methods	Cold

Order Code
FCBC-RTR-xxx (xxx = width)

FABRICoustic by COOLEDGE™

DUST LAYER

Abrasion resistant, colors or printing, and unique texture combined together.



Color	White
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	63, 126, & 199
Fire Rating	ASTM E84 Class A (equivalent)
Cutting Methods	Cold, Ultrasonic, Heat

Order Code
FCBC-DL-xxx (xxx = width)

ACOUSTIC FLEECE

Provides acoustic absorption to optimize system performance.




Color	Black
Material	½” thick 100% PET (Recyclable)
Widths (inches)	48 (Roll = 100’)
Fire Rating	ASTM E84 Class A

Order Code
FCBC-FLC

ACOUSTIC TEST CONFIGURATION

The acoustic performance values shown are based on the test configuration shown below.



FABRICoustic by COOLEEDGE™

POLYMER PROFILES

Lightweight mounting profiles with the option of staple attachment..

Ceiling Mount



Color	Black or White
Material	Polypropylene*
Length	118.1" (9'-10.1")
Cross-section	0.39" x 1.18"
Packaging Units	50pcs or Individual

**Architect friendly*

Order Code
FCBC-PRF-CM


Wall Mount



Color	Black or White
Material	Polyvinyl Chloride
Length	118.1" (9'-10.1")
Cross-section	0.59" x 1.18"
Packaging Units	50pcs or Individual

Order Code
FCBC-PRF-WM

Flush Mount



Color	White
Material	Polyvinyl Chloride
Length	118.1" (9'-10.1")
Cross-section	0.39" x 1.40"
Packaging Units	50pcs or Individual


Order Code
FCBC-PRF-FM

FABRICoustic by COOLEEDGE™

ALUMINUM PROFILES

A selection that meets every project requirement.


Knife Edge



Color	Black or White
Material	Aluminum
Length	119"
Cross-section	0.39" x 1.18"
Packaging Units	Mill Finish (MF) or Powdercoat (WH or BL)

Order Code
FCBC-PRF-KE-xx (MF, WH, BL)


Flat 2"



Color	Black or White
Material	Aluminum
Length	119"
Cross-section	0.74" x 2.00"
Packaging Units	Mill Finish (MF) or Powdercoat (WH or BL)

Order Code
FCBC-PRF-FL2-xx (MF, WH, BL)

Flat 4"



Color	Black or White
Material	Aluminum
Length	119"
Cross-section	0.75" x 4.00"
Packaging Units	Mill Finish (MF) or Powdercoat (WH or BL)

Order Code
FCBC-PRF-FL4-xx (MF, WH, BL)